		SPECTION CHECKLI	ST 🚣
AME OF ESTABLISHMENT: Sim	bulan Indu	Stru DATE:	NOV. 03 DESI
DDRESS: Sab	beng Bal. But. TIME		10:36 om
UBJECT: Rec	gular Inspe	e fion	
INDICATORS	With	Date of cove	erage With out
CC/CNC	1		Will date
anitary Permit		TO FOLL	0(4)
Mayor's Permit	4	1 - 1	000
Pollution Control Officer		2.4.4	
MINISTER STATE OF THE PARTY OF	Solid Wastes	Management	
INDICATORS	Yes	No	Remarks
Segregation at Source	1		
Segregated Bins		12.10	811
MRF	4	1001019	Prescated
Accredited	551139	at Jan	Ratari
Cert. of Final Disposal			, ,
IF APPLICABLE			是是原体器的
Plastic Reduction	5 5 2 5 5		10 10 10 10 10 10 10 10 10 10 10 10 10 1
INDICATORS	THE R. LEWIS CO., LANSING, MICH.	Management	
INDICATORS	Yes	No	Remarks
Grease trap	-		
Septic Tank		Farta	Rolpeal
Water treatment facility  Discharge Permit	1/	100101	1 Delivered
BOD Test	14	at Sor	Belocated Raysel
Cubic meters/ day			, ,
Acrredited Hauler			
Cert. of Final Disposal			
Toxic and Hazardous Wastes I	Management	Me	dical Wastes Management
	Yes	No	Remarks
Acrredited Hauler			
Cert. of Final Disposal			6 0
ADDITIONAL REMARKS	laces	cted by	
1- 1-			h
Joven &	OWENG	Jours.	Arnoti

Ner, Peleon



# LALAWIGAN NG BULACAN Pamahalaang Bayan ng Baliwag MUNICIPAL ENVIRONMENT AND NATURAL RESOURCES OFFICE

#### INSPECTION REPORT

Name of Establishment:

Simbulan Industry

Address:

Sabang Baliwag Bulacan

Issue:

Regular inspection

Date of inspection:

November 3, 2021

Site Inspection:

November 3, 2021 (10:36 am) conducted by Monitoring &

Inspection Team (MENRO)

Inspection report: Upon investigation, Monitoring& Inspection Team had come up with the following observations and findings, to with











Management System (SO 9001-2015 www.tor.com 0 9108050729



Serbisyong May Malasakit!



9

Baliwag Climate Change Center, DRT Highway, Pagala, Baliwag, Bulacan 3006



## Findings:

- To follow environmental permits
- Has trash bin for solid wastes segregation
- Established septic tank

## Remarks:

The production is relocated at San Rafael, Bulacan.

In regards with the above-mentioned issue, MENRO cited the following recommendations to address the said issue. The lists of recommendations are as follows:

### Recommendations:

- Secure environmental permits
- The permit holder shall submit quarterly self- monitoring report to MENRO

Also, we will conduct quarterly monitoring on the said Establishment to ensure their compliance with the following environmental ordinances:

Ecological Solid Waste Management Act of 2000 RA 9003-

The Philippine Clean Air Act RA 8749-The Philippine Clean Water Act RA 9275-

Toxic Substances & Hazardous & Nuclear Waste Control Act RA 6969-

\* We do advise to make an urgent response in addressing this matter as soon as you received this inspection report. Failure to comply with the recommendations given above will result to restricted operation or much worse, closure of the business.

Inspected by:

1. Arnold Mendoza

2. Alvin Fernandez

3. Mark Gil Roxas

4. Rowenna Ramirez

5. Joven Guevarra

Approved by:

EDGAR S. LUNA

MENRO

Noted by:

ENRIQUE V. TAGLE Municipal Administrator