







LALAWIGAN NG BULACAN
Pamahalaang Lungsod ng Baliwag
CITY ENVIRONMENT AND NATURAL RESOURCES OFFICE

INSPECTION REPORT

Name of Establishment: Bernard's
Address: Sabang, Baliwag Bulacan
Issue: Regular inspection
Date of inspection: July 18, 2023
Site Inspection: July 18, 2023 (2:57 pm) conducted by Monitoring & Inspection Team (City-ENRO)

Inspection report: Upon investigation, Monitoring & Inspection Team had come up with the following observations and findings, to with



Management System
ISO 9001:2015
www.tuv.com
ID 910807239



Serbisyong May Malasakit!

*malasit
CUSTOM MAYO
0962-071-8058*

**DUGONG
BALIWAG
PUSONG**

Baliwag Climate Change Center, DRT Highway, Pagala, Baliwag, Bulacan 3006
(044) 798-0391 Loc. 3676 | metro@baliwag.gov.ph | www.baliwag.gov.ph

YES!
to
Baliwag
City

Findings:

- Mixed wastes
- Liquid wastes are overflowing to the canal
- Improper disposal of greased generated
- Lack of environmental permits such as Certificate of Non-Coverage (CNC), Discharge Permit, (PCO) Pollution Control Officer and hazardous wastes generator I.D

In regards with the above-mentioned issue, MENRO cited the following recommendations to address the said issue. The lists of recommendations are as follows:

Recommendations:

- Practice proper solid wastes segregation
- Liquid wastes must be discharge to the septic tank
- Accredited hauler for grease generated
- Secure environmental permits such as CNC (Certificate of Non -Coverage), Discharge Permit, (PCO) Pollution Control Officer, hazardous wastes generator I.D, and Cert. of final disposal for toxic and hazardous wastes to the EMB (Environmental Management Bureau)
- The permit holder shall submit quarterly self- monitoring report to City-ENRO

Also, we will conduct quarterly monitoring on the said Establishment to ensure their compliance with the following environmental ordinances:

- RA 9003- Ecological Solid Waste Management Act of 2000
- RA 8749- The Philippine Clean Air Act
- RA 9275- The Philippine Clean Water Act
- RA 6969- Toxic Substances & Hazardous & Nuclear Waste Control Act

** We do advise to make an urgent response in addressing this matter as soon as you received this inspection report. Failure to comply with the recommendations given above will result to restricted operation or much worse, closure of the business.*

Inspected by:

- Joven Guevarra
- Alvin Fernandez
- Arnold Mendoza

Approved by:

EDGAR S. LUNA, MSA
City- ENRO

Noted by:

ENRIQUE V. TAGLE
City Administrator