



LALAWIGAN NG BULACAN
Pamahalaang Lungsod ng Baliwag
CITY ENVIRONMENT AND NATURAL RESOURCES OFFICE

INSPECTION REPORT

Name of Establishment: Guilbert's Place Restaurant


Address: DRT highway Pinagbarilan, Baliwag Bulacan

Issue: Regular Inspection

Date of inspection: January 28, 2025

Site Inspection: January 28, 2025 (1:56 pm) conducted by Monitoring & Inspection Team (City-ENRO)

Inspection report: Upon investigation, Monitoring & Inspection Team had come up with the following observations and findings, to with



Serbisyong May Malasakit!

Amalia Meneses Peranta

Findings:

- Has business permit
- Has 2 grease traps
- Has 4 chambers septic tank
- Separated septic tank of liquid wastes generated (domestic wastes and kitchen wastes)
- Solid wastes are properly segregated
- Has 6 drums for kitchen wastes and 2 trash bins at the dining area
- Without environmental permit such as Certificate of Non-Coverage (CNC), Discharge Permit, Hazardous wastes generator I.D and Pollution Control Officer

In regards with the above-mentioned issue, MENRO cited the following recommendations to address the said issue. The lists of recommendations are as follows:

Recommendations:

- Establish Material Recovery Facility (MRF) for temporary storage of generated wastes
- Provide drum or IBC tank that will serve as container for the collected grease
- Collected grease from grease traps must dispose by accredited private hauler
- Submit septage and plumbing plan to check the flow of liquid wastes generated
- Secure environmental permits such as Certificate of Non-Coverage (CNC), Discharge Permit, Hazardous wastes generator I.D and Pollution Control Officer to the EMB (Environmental Management Bureau)
- The permit holder shall submit quarterly self- monitoring report to City-ENRO

Also, we will conduct quarterly monitoring on the said Establishment to ensure their compliance with the following environmental ordinances:

- RA 9003- Ecological Solid Waste Management Act of 2000
- RA 9275- The Philippine Clean Water Act
- RA 6969- Toxic Substances & Hazardous & Nuclear Waste Control Act

** We do advise to make an urgent response in addressing this matter as soon as you received this inspection report. Failure to comply with the recommendations given above will result to restricted operation or much worse, closure of the business.*

Inspected by:

- Joven Guevarra _____
- Alvin Fernandez _____

Approved by:


EDGAR S. LUNA, MSA
City- ENRO

Noted by:


ENRIQUE V. TAGLE
City Administrator