



LALAWIGAN NG BULACAN
Pamahalaang Lungsod ng Baliwag
CITY ENVIRONMENT AND NATURAL RESOURCES OFFICE
INSPECTION REPORT

Name of Establishment: Mizu Restaurant
Address: DRT Highway, Tarcam, Baliwag Bulacan
Issue: Regular Inspection
Date of inspection: September 23, 2025
Site Inspection: September 23, 2025 (1:30 pm) conducted by Monitoring & Inspection Team (City-ENRO)
Inspection report: Upon investigation, Monitoring & Inspection Team had come up with the following observations and findings, to with



Good only
10-10-25



Serbisyong May Malasakit!

Findings:

- Has 2 grease traps to collect generated oil and grease
- Collected oil and grease are improperly disposed to irrigation canal
- Inter connected sewer lines to central septic tank
- Mixed wastes
- Has 3 trash bins
- Without environmental permit such as Certificate of Non-Coverage (CNC), Discharge Permit, Hazardous wastes generator I.D and Pollution Control Officer (PCO)

In regards with the above-mentioned issue, City ENRO cited the following recommendations to address the said issue. The lists of recommendations are as follows:

Recommendations:

- Collected grease from grease trap must be dispose by accredited private hauler
- Provide drum or IBC tank that will serve as container for the collected grease
- Submit seepage and plumbing plan to check the flow of liquid wastes generated
- Always practice proper solid wastes segregation
- Secure environmental permits such as Certificate of Non-Coverage (CNC), Discharge Permit, Hazardous wastes generator I.D and Pollution Control Officer (PCO) to the Environmental Management Bureau (EMB) or you can visit their website at r3.emb.gov.ph
- The permit holder shall submit quarterly self-monitoring report to City ENRO

Also, we will conduct quarterly monitoring on the said Establishment to ensure their compliance with the following environmental ordinances:

- RA 9003- Ecological Solid Waste Management Act of 2000
- RA 9275- The Philippine Clean Water Act
- RA 6969- Toxic Substances & Hazardous & Nuclear Waste Control Act
- RA 8749- The Philippine Clean Air Act

* We do advise to make an urgent response in addressing this matter as soon as you received this inspection report. Failure to comply with the recommendations given above will result to restricted operation or much worse, closure of the business.

Inspected by:

- Joven Guevarra
- Arnold Mendoza
- Alvin Fernandez
- Aldin Santos

Approved by:

EDGAR S. LUNA, PhD.
City- ENRO

Noted by:

ENRIQUE V. TAGLE
City Administrator